

Corrigendum

Corrigendum to “Plate form three-dimensional gradient coils  
for L-band ESR imaging experiment”  
[J. Magn. Reson. 175 (2005) 256–263]

Wu Ke <sup>a,e</sup>, Huang Changgang <sup>b</sup>, Cao Yuanlin <sup>c</sup>, Zheng Yingguang <sup>d</sup>, Cong Jianbo <sup>a</sup>,  
Xian Hong <sup>a</sup>, Wang Changzhen <sup>a</sup>, Gao Shangkai <sup>e,\*</sup>, Zhao Baolu <sup>c,\*</sup>

<sup>a</sup> *Beijing Institute of Radiation Medicine, Beijing 100850, China*

<sup>b</sup> *Institute of Electrical Engineering, Chinese Academy of Sciences, Beijing 100080, China*

<sup>c</sup> *Institute of Biophysics, Chinese Academy of Sciences, Beijing 100101, China*

<sup>d</sup> *Analysis and Measurement Center, Jilin University, Changchun 130023, China*

<sup>e</sup> *Department of Biomedical Engineering, Medical School of Tsinghua University, Beijing 100084, China*

Received 26 October 2006

Available online 13 November 2006

Cao Yuanlin, Zheng Yingguang, and Zhao Baolu made substantial contributions to this work, and their names should have appeared in the list of authors.

The correct author and affiliation lines appear above.

---

DOI of original article: [10.1016/j.jmr.2005.04.013](https://doi.org/10.1016/j.jmr.2005.04.013)

\* Corresponding authors.

E-mail addresses: [gsk-dea@mail.tsinghua.edu.cn](mailto:gsk-dea@mail.tsinghua.edu.cn) (G. Shangkai), [zhaobl@sun5.ibp.ac.cn](mailto:zhaobl@sun5.ibp.ac.cn) (Z. Baolu).